



# Federal Emergency Management Agency

Washington, D.C. 20472

**JUL 24 1998**

The Honorable Joseph Schreiber  
Mayor of the City of Tamarac  
7525 N.W. 88th Avenue  
Tamarac, Florida 33321-2401

IN REPLY REFER TO:  
Case No.: 98-04-1502A  
(Follows Case No.: 96-04-802A)  
Community: City of Tamarac,  
Broward County, Florida  
Community No.: 120058  
Map Panel Affected: Broward County,  
Florida and Incorporated Areas  
Number: 12011C0205 F  
Map Effective Date: August 18, 1992

218-65-RS

Dear Mayor Schreiber:

We reviewed a request dated May 15, 1998, from Mr. Robert J. L. Kun of Craig A. Smith & Associates, for a Letter of Map Revision (LOMR). All information required for this request was received on May 29, 1998. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we determined that portions of the property described below are located in the Special Flood Hazard Area (SFHA), the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood); however, the structures on the property are not in the SFHA. This property was elevated by the placement of fill.

Property Description: Units 401-407, 412-414, and 549-553 (Buildings 1, 2, and 24, respectively), Plum Harbor, being part of Parcel A, Land Section 8, as recorded in Plat No. 93-438805, Plat Book 154, Page 48, Sheets 1 and 2, on October 5, 1993, filed in the Public Records of Broward County

This letter revises the above-referenced NFIP map to remove the structures from the SFHA. The structures are now located in Zone X (unshaded), an area above the 0.2-percent-annual-chance flood level. Flood insurance coverage for the structures may be available under a low-cost policy (see enclosed document). Because portions of the property remain in the SFHA, any future construction or substantial improvement on the property remains subject to Federal, State, and local regulations for floodplain management.

An additional enclosed document provides information about LOMRs. If you have any questions about this letter, please contact Ms. Helen Cohn of our staff in Washington, D.C., either by telephone at (202) 646-3457 or by facsimile at (202) 646-4596.

Sincerely,

Matthew B. Miller, P.E., Chief  
Hazards Study Branch  
Mitigation Directorate

Enclosures

cc: State Coordinator (w/o enclosures)  
Region (w/o enclosures)  
Community Map Repository  
Mr. Robert J. L. Kun

CITY OF TAMARAC  
BUILDING DEPT.

98 JUL 31 P2:19

RECEIVED